






Title		
FILTERI PREKLAPANJE		
Size	Document Number	Rev
A	<Doc>	00
Date:	Friday, July 08, 2011	Sheet 1 of 1

NA PTT

zuto spojiti komadicem koaksa_preamp_in
on/off je spojen preko diode na PTT
kad je TX onda je relej aktivan i preamp je bypass



• •



report

PARTS LIST 1 REPORT -- W7IUUV_AMP+preklapanje filtera.pcb -- Wed Jul 06 12:26:49 2011

Reference	Designation	Logic Type	PartType
C1		CAP	100N
C2		CAP	100N
C3		CAP	100N
C4		CAP	100N
C5		UND	10U/63V
C6		CAP	10N
C8		CAP	100N
D1		DIO	1N4148
D2		DIO	1N4148
D3		DIO	1N4148
J2		CON	MASCON2_VIE
J3		CON	MASCON2_VIE
J4		CON	MASCON2_VIE
J5		CON	MASCON2_VIE
J6		CON	MASCON2_VIE
J9		CON	MASCON2_VIE
J10		CON	MASCON2_VIE
J11		CON	MASCON2_VIE
J12		CON	MASCON2_VIE
K1		RLY	RELAY_TX2
K2		RLY	RELAY_TX2
L1		IND	TRAFIC
Q1		TRX	BF199
Q2		TRX	MMBT2907ALT1
Q3		TRX	MMBT2907ALT1
R1		RES	1K
R2		RES	560R
R3		RES	3K3
R4		RES	4R7
R5		RES	12R
R6		RES	3R3
R7		RES	22K
R8		RES	2K2

R9	RES	report	2K2
R10	RES		22K

zuto spojiti komadicem koaksa preamp in
on/off je spojen preko diade na PTT
kad je TX onda je relej aktivan i preamp je bypass

NA PTT

D2
IN4148

OUT

INPUT

on/off

+12VDC

FILTERINPUT80

FILTERINPUT160

ANT_IN...zalemiti koaks direktno na relej

80/160

gnd_80m_active

POREZATI VOD KOJI IDE OD 4R7 NA 12R I SPOJITI 4R7 PO SLICI

